

Visual Perceptual Learning

Zhong-Lin Lu
Departments of Psychology, University of Southern California
Los Angeles, California
USA
zhonglin@usc.edu

Barbara Anne Doshier
Department of Cognitive Science, University of California
Irvine, California
USA
bdosher@uci.edu

Synonyms

Sensory plasticity; Sensory learning; Visual plasticity; Perceptual Improvement

Definition

Practice or training in perceptual tasks improves the quality of perceptual performance, often by a substantial amount. This improvement is called *perceptual learning*, in contrast with learning in the cognitive or motor domains. Research on perceptual learning is of theoretical significance in illuminating plasticity in adult perceptual systems, and in understanding the limitations in the information processing of human observers. It is of practical significance as a potential method for the development of perceptual expertise in normal populations and for the non-invasive amelioration of deficits in challenged populations by training.

Theoretical Background

Historically, the role of learning in perception was vigorously denied by early Gestalt psychologists such as Max Wertheimer. Helmholtz, however, assigned learning an extremely important role in his theories of perception (Helmholtz, 1911). In 1967, Eleanor J. Gibson published the first book on perceptual learning, with the view that

perceptual learning is a process of discovering how to transform previously overlooked potentials of sensory stimulation into effective information (Gibson, 1967). A resurgence of research on perceptual learning occurred in the late 1980s and early 1990s, when Dov Sagi and others systematically documented various specificities of perceptual learning and put forward the hypothesis that perceptual learning may occur in early sensory cortical areas (Karni & Sagi, 1991). Since then, perceptual learning in adult human observers has been documented in a wide range of perceptual tasks (Fahle & Poggio, 2002).

The most distinctive finding in perceptual learning is that some of what is learned is specific to stimulus or task factors such as retinal location (Karni & Sagi, 1991), spatial frequency (Fiorentini & Berardi, 1980), orientation (Ball & Sekuler, 1982), or background texture (Ahissar & Hochstein, 1996). Perceptual learning that is highly specific to retinal location and stimulus has been claimed to reflect neural plasticity in basic visual processing mechanisms (Karni & Sagi, 1991).

Recent studies have investigated mechanisms of perceptual learning, i.e., what is learned during perceptual learning, using psychophysics (Doshier & Lu, 1998; 1999; Gold, Bennett & Sekuler, 1999; Saarinen & Levi, 1995), neurophysiology (Crist, Li & Gilbert, 2001; Ghose, Yang & Maunsell, 2002; Schoups, Vogels, Qian & Orban, 2001), brain imaging (Schiltz, Bodart, Dubois, Dejardin, Michel, Roucoux, Crommelinck & Orban, 1999; Schwartz, Maquet & Frith, 2002), and patients (Fahle & Daum, 2002; Xu, Lu, Wang, Doshier, Zhou, Yang, Zhang & Zhou, 2010).

In psychophysical studies, Doshier and Lu (1998) introduced a theoretical framework and an external noise plus training paradigm to analyze how perceptual

inefficiencies improve over the course of perceptual learning. Perceptual inefficiencies are attributed to three limitations in perceptual processes (Lu & Doshier, 2008): an imperfect perceptual template, internal additive noise, and multiplicative noise. Systematic measurements of human performance as a function of both the amount of external noise added to the signal stimulus and the length of training received by the observers make it possible to distinguish three mechanisms of perceptual learning: perceptual template retuning, stimulus enhancement, and contrast-gain control reduction. It has been consistently found that two independent mechanisms, stimulus enhancement and external noise exclusion, support perceptual learning in a range of tasks (Doshier & Lu, 1998; 1999; 2005; 2007; Lu, Chu & Doshier, 2006; Lu & Doshier, 2004).

Practice-induced neuronal plasticity has been documented in auditory (Metherate & Weinberger, 1990; Weinberger, Javid & Lapan, 1993) and somato-sensory cortices (Jenkins, Merzenich, Ochs, Allard & Guic-Robles, 1990; Recanzone, Merzenich & Schreiner, 1992), and in some visual functional Magnetic Resonance Imaging (fMRI) studies (Schiltz et al., 1999; Schwartz et al., 2002; Vaina, Belliveau, des Roziers & Zeffiro, 1998). Evidence for practice-induced neuronal plasticity in early visual cortical areas is however modest (Crist et al., 2001; Ghose, Yang & Maunsell, 2002; Schoups, Vogels, Qian & Orban, 2001; Yang & Maunsell, 2004), although neurons in the primary visual cortex (V1) may exhibit task specific tuning (Li, Piech & Gilbert, 2004) that seem to reflect selection of task-relevant stimulus features for a particular task rather than persistent cross-task neuronal tuning changes. Law and Gold (2008) conclude, "...[our] results suggest that the perceptual improvements corresponded to an increasingly selective readout of highly sensitive medial temporal (MT) neurons by a decision

process, represented in lateral intraparietal (LIP), that instructed the behavioral response.” On the other hand, some recent evidence might suggest greater plasticity in early visual areas occurs in non-primates (Hua, Bao, Huang, Wang, Xu, Zhou & Lu, 2010).

Important Scientific Research and Open Questions

One major open question is whether perceptual learning reflects representation enhancement in early sensory areas or reweighting of sensory representation in the decision process. Petrov, Doshier, and Lu (2005) introduced a task analysis framework to evaluate the diagnostic value of experimental designs for discriminating reweighting and representational enhancement in perceptual learning. A systematic review of the literature suggests that the two potential forms of plasticity – reweighting versus representational change – make similar predictions about specificity in most of the existing studies that had previously been cited as evidence for representational enhancement. Based on the results from the task analysis and neurophysiology, Petrov et al (2005; 2006) implemented the reweighting hypothesis outlined in Doshier and Lu (1998) in a multi-channel Augmented Hebbian Reweighting Model (AHRM). The AHRM has been very successful in modeling a wide range of phenomena in perceptual learning.

Another important topic in perceptual learning concerns the role of feedback. A complex pattern of empirical results on the role of feedback in perceptual learning has emerged - see Petrov, Doshier, & Lu (2006) and Doshier & Lu (2009) for reviews. Whereas most perceptual learning studies employed trial-by-trial feedback, several studies documented significant perceptual learning with block, partial, or even no feedback, and no perceptual learning with false, random, manipulated block, and reversed feedback (Herzog & Fahle, 1997). Shibata, Yamagishi, Ishii & Kawato (2009) showed

that arbitrary block-feedback facilitated perceptual learning if it is more positive than the observer's actual performance. At high-training accuracies, feedback is not necessary (Liu, Lu & Doshier, 2008), and significant learning was found in low-training accuracy trials when they were mixed with high-accuracy trials (Liu, Lu & Doshier, 2009; Petrov, Doshier & Lu, 2006). Liu, Lu & Doshier (2010) conducted a computational analysis of the complex pattern of empirical results on the role of feedback with the AHRM (Petrov, Doshier & Lu, 2005). The simulation results are both qualitatively and quantitatively consistent with the data reported in the literature.

A number of recent papers re-examined specificity of perceptual learning and found that a number of factors in the training procedures, some of which were not obviously related to specificity or transfer of learning, determine the degree of specificity, including task precision (Jeter, Doshier, Petrov & Lu, 2009), task difficulty (Ahissar & Hochstein, 1997), number of trials (Censor & Sagi, 2009), and training schedule (Xiao, Zhang, Wang, Klein, Levi & Yu, 2008). Xiao et al (2008) developed a novel double-training paradigm that employed conventional feature training (e.g., contrast) at one location, and additional training with an irrelevant feature/task (e.g., orientation) at a second location, either simultaneously or at a different time. They showed that this additional location training enabled a complete transfer of feature learning (e.g., contrast) to the second location. Understanding factors that determine specificity/transfer of perceptual learning may elucidate the functional architecture of perceptual learning.

Cross-References

Adaptation and learning
Animal perceptual learning
Computational learning theory

Connectionist theories of learning
Cross-modal learning
Expertise and learning
Feedback and learning
Hebb, Donald O. (1904 – 1985)
Insight in Perceptual Learning
Learning receptive fields
Learning to learn
Mechanisms of learning
Modes of learning
Multi-channel learning
Perception and learning
Perceptual learning
Perceptual processing and learning
Perceptual similarity (and learning)
Sensitization (in non-associative learning)
Signal-detection (models)
Speech perception and learning
Supervised learning
Task difficulty and learning
Task sequencing and learning
Task-irrelevant perceptual learning
Unsupervised learning

References

- Ahissar, M., & Hochstein, S. (1996). Learning pop-out detection: Specificities to stimulus characteristics. *Vision Research*, 36 (21), 3487-3500.
- Ahissar, M., & Hochstein, S. (1997). Task difficulty and the specificity of perceptual learning. *Nature*, 387 (6631), 401-406.
- Ball, K., & Sekuler, R. (1982). A specific and enduring improvement in visual motion discrimination. *Science*, 218 (4573), 697-698.
- Censor, N., & Sagi, D. (2009). Global resistance to local perceptual adaptation in texture discrimination. *Vision Res*, 49 (21), 2550-2556.
- Crist, R.E., Li, W., & Gilbert, C.D. (2001). Learning to see: Experience and attention in primary visual cortex. *Nature Neuroscience*, 4 (5), 519-525.
- Dosher, B., & Lu, Z.-L. (2007). Level and mechanisms of perceptual learning: Learning in luminance and texture objects. *Vision Research*, 46, 1996-2007.
- Dosher, B.A., & Lu, Z.-L. (1998). Perceptual learning reflects external noise filtering and internal noise reduction through channel reweighting. *Proceedings of the National Academy of Sciences of the United States of America*, 95 (23), 13988-13993.
- Dosher, B.A., & Lu, Z.-L. (1999). Mechanisms of perceptual learning. *Vision Research*, 39 (19), 3197-3221.
- Dosher, B.A., & Lu, Z.-L. (2005). Perceptual learning in clear displays optimizes perceptual expertise: Learning the limiting process. *Proc Natl Acad Sci U S A*, 102 (14), 5286-5290.

- Fahle, M., & Daum, I. (2002). Perceptual learning in amnesia. *Neuropsychologia*, 40 (8), 1167-1172.
- Fahle, M., & Poggio, T. (2002). Perceptual learning. (Cambridge, MA: MIT Press.
- Fiorentini, A., & Berardi, N. (1980). Perceptual learning specific for orientation and spatial frequency. *Nature*, 287 (5777), 43-44.
- Ghose, G.M., Yang, T., & Maunsell, J.H.R. (2002). Physiological correlates of perceptual learning in monkey V1 and V2. *Journal of Neurophysiology*, 87 (10), 1867-1888.
- Gibson, E.J. (1967). Principles of perceptual learning and development. (New York: Appleton Century Crofts.
- Gold, J., Bennett, P.J., & Sekuler, A.B. (1999). Signal but not noise changes with perceptual learning. *Nature*, 402 (6758), 176-178.
- Helmholtz, H.V. (1911). Treatise on physiological optics. 2 & 3 (Rochester, NY: Optical Society of America.
- Herzog, M.H., & Fahle, M. (1997). The role of feedback in learning a vernier discrimination task. *Vision Research*, 37 (15), 2133-2141.
- Hua, T., Bao, P., Huang, C.B., Wang, Z., Xu, J., Zhou, Y., & Lu, Z.-L. (2010). Perceptual Learning Improves Contrast Sensitivity of V1 Neurons in Cats. *Current Biology*, 20, 887-894.
- Jenkins, W.M., Merzenich, M.M., Ochs, M.T., Allard, T., & Guic-Robles, E. (1990). Functional reorganization of primary somatosensory cortex in adult owl monkeys after behaviorally controlled tactile stimulation. *J Neurophysiol*, 63 (1), 82-104.
- Jeter, P.E., Doshier, B., Petrov, A., & Lu, Z.-L. (2009). Task precision at transfer determines specificity of perceptual learning. *Journal of Vision*, 9 (3), 1-13.
- Karni, A., & Sagi, D. (1991). Where Practice Makes Perfect in Texture-Discrimination - Evidence for Primary Visual-Cortex Plasticity. *Proceedings of the National Academy of Sciences of the United States of America*, 88 (11), 4966-4970.
- Law, C.-T., & Gold, J.I. (2008). Neural correlates of perceptual learning in a sensorimotor, but not a sensory, cortical area. *Nature Neuroscience*, 11, 505-513.
- Li, W., Piech, V., & Gilbert, C.D. (2004). Perceptual learning and top-down influences in primary visual cortex. *Nat Neurosci*, 7 (6), 651-657.
- Liu, J., Lu, Z.-L., & Doshier, B. (2008). Augmented Hebbian Learning Hypothesis in Perceptual Learning: Interaction between feedback and training accuracy. *Journal of Vision*, 8 (6), 273-273.
- Liu, J., Lu, Z.-L., & Doshier, B. (2010). Augmented Hebbian Learning Accounts for the Complex Pattern of Effects of Feedback in Perceptual Learning. *Journal of Vision*, 10, in press.
- Liu, J., Lu, Z.-L., & Doshier, B.A. (2009). Augmented Hebbian learning accounts for the Eureka effect in perceptual learning. *Journal of Vision*, 9, 851.
- Lu, Z.-L., Chu, W., & Doshier, B.A. (2006). Perceptual learning of motion direction discrimination in fovea: Separable mechanisms. *Vision Research*, 45, 2500-2510.
- Lu, Z.-L., & Doshier, B. (2008). Characterizing observer states using external noise and observer models: Assessing internal representations with external noise. *Psychological Review*, 115 (1), 44-82.
- Lu, Z.-L., & Doshier, B.A. (2004). Perceptual learning retunes the perceptual template in foveal orientation identification. *Journal of Vision*, 4, 44-56.

- Metherate, R., & Weinberger, N.M. (1990). Cholinergic modulation of responses to single tones produces tone-specific receptive field alterations in cat auditory cortex. *Synapse*, 6 (2), 133-145.
- Petrov, A., Doshier, B.A., & Lu, Z.-L. (2005). Perceptual learning through incremental channel reweighting. *Psychological Review*, 112 (4), 715-743.
- Petrov, A.A., Doshier, B.A., & Lu, Z.L. (2006). Perceptual learning without feedback in non-stationary contexts: Data and model. *Vision Research*, 46 (19), 3177-3197.
- Recanzone, G.H., Merzenich, M.M., & Schreiner, C.E. (1992). Changes in the distributed temporal response properties of SI cortical neurons reflect improvements in performance on a temporally based tactile discrimination task. *J Neurophysiol*, 67 (5), 1071-1091.
- Saarinen, J., & Levi, D.M. (1995). Perceptual learning in vernier acuity: What is learned? *Vision Research*, 35 (4), 519-527.
- Schiltz, C., Bodart, J.M., Dubois, S., Dejardin, S., Michel, C., Roucoux, A., Crommelinck, M., & Orban, G. (1999). Neuronal mechanisms of perceptual learning: Changes in human brain activity with training in orientation discrimination. *NeuroImage*, 9, 46-62.
- Schoups, A., Vogels, R., Qian, N., & Orban, G. (2001). Practising orientation identification improves orientation coding in V1 neurons. *Nature*, 412 (6846), 549-553.
- Schwartz, S., Maquet, P., & Frith, C. (2002). Neural correlates of perceptual learning: A functional MRI study of visual texture discrimination. *Proceedings of the National Academy of Science*, 99, 17137-17142.
- Shibata, K., Yamagishi, N., Ishii, S., & Kawato, M. (2009). Boosting perceptual learning by fake feedback. *Vision Res*, 49 (21), 2574-2585.
- Vaina, L.M., Belliveau, J.W., des Roziers, E.B., & Zeffiro, T.A. (1998). Neural systems underlying learning and representation of global motion. *Proc Natl Acad Sci U S A*, 95 (21), 12657-12662.
- Weinberger, N.M., Javid, R., & Lapan, B. (1993). Long-term retention of learning-induced receptive-field plasticity in the auditory cortex. *Proc Natl Acad Sci U S A*, 90 (6), 2394-2398.
- Xiao, L., Zhang, J., Wang, R., Klein, S., Levi, D.M., & Yu, C. (2008). Complete Transfer of Perceptual Learning across Retinal Locations Enabled by Double Training. *Current Biology*, 18 (24), 1922-1926.
- Xu, P., Lu, Z.-L., Wang, X., Doshier, B., Zhou, J., Yang, R., Zhang, D., & Zhou, Y. (2010). Category and Perceptual Learning in Subjects with Treated Wilson's Disease. *PLoS ONE*, 5 (3), 9635-9643.
- Yang, T., & Maunsell, J.H. (2004). The effect of perceptual learning on neuronal responses in monkey visual area V4. *J Neurosci*, 24 (7), 1617-1626.