Psych 215: Language Sciences (Language Acquisition)

Lecture 9
Grammatical Categories II

Mintz 2003

Just to remind us of the problem...

"...it is not fully known how child language learners initially categorize words. There has been recent interest in the idea that distributional information carried by the cooccurrence patterns of words in sentences could provide a great deal of information relevant to grammatical categories."

Mintz 2003, on Theorists

And what theorists initially thought...
"Pinker (1987) argued that, given sentences in (2a,b), a distributional learner would incorrectly categorize fish and rabbits together, and, hearing (2c), would incorrectly assume that (2d) is also permissible."

(2a) John ate fish. (2b) John ate rabbits.(2c) John can fish. (2d) *John can rabbits.

"The crux of the problem...is that a given word form...can belong to multiple categories and thus occur in different syntactic contexts...potentially providing misleading category information...argued that the resulting erroneous generalizations would be common, and would render a distributional approach to categorization untenable."

Mintz 2003, Another Problem

"The fundamental issue is that lexical adjacency patterns are variable...another question is how the learner is to know *which* environments are important and which should be ignored. Distributional analyses that consider all the possible relations among words in a corpus of sentences would be computationally unmanageable at best, and impossible at worst."

One idea: local contexts

"...by showing that local contexts are informative, these findings suggested a solution to the problem of there being too many possible environments to keep track of: focusing on local contexts might be sufficient."

Experimental Evidence

Idea: Children may be attending to other kinds of distributional information available in the linguistic environment

There is evidence that children can track information that is nonadjacent in the speech stream (Santelmann & Jusczyk 1998, Gómez 2002)

he is running

Also, frequency of lexical frames is something children are sensitive to (Childers & Tomasello 2001: children more easily acquire novel verb meanings when the verbs occur in lexical frames that occur frequently in the input)

Frequent Frames

Idea: What categorization information is available if children track frequent frames?

Frequent frame: X___Y where X and Y are words that frame another word and appear frequently in the child's linguistic environment

Examples:

the_is
the king is... can_him can trick him... the goblin is... can help him... can hug him...

Frequent Frames vs. Bigrams


"In the present approach the word 'W' in the environment '...X W Y...' is stored as 'jointly following X and preceding Y', but such would not be the case if W occurred after X and before Y on would not be the case if w occurred after X and before Y of independent occasions...bigram contexts...record only independent cooccurrence patterns (e.g. following X', 'preceding Y')....property of join co-occurrence in the frame contexts involves an additional relationship..."

Experimental Support

"Another important difference...adults will categorize words in an artificial language based on their occurrence within frames...whereas bigram regularity alone has failed to produce categorization in artificial grammar experiments, without additional cues...

Goals

"The goal of the work described here...what assumptions would be reasonable to build into [a model of grammatical categorization by learners]. Specifically, the goal was to formulate a unit to which there is some evidence that children and adults attend, and with which adults have been shown to categorize, and examine how predictive it is of category membership."



What is a "frequent" frame?

Definition of "frequent" for frequent frames: Frames appearing a certain number of times in a give corpus

"The principles guiding inclusion in the set of frequent frames were that frames should occur frequently enough to be noticeable, and that they should also occur enough to include a variety of intervening words to be categorized together. While these criteria were not operationalized in the present experiment, a pilot analysis with a randomly chosen corpus, Peter, determined that the 45 most frequent frames satisfied these goals and provided good categorization."

How Frequent Frames Work Trying out frequent frames on a corpus of child-directed speech. Frame: the ___ is "the radio is in the way...but the doll is...and the teddy is..." radio, doll, teddy = Category1 (similar to Noun) Frame: you ___ it "you draw it so that he can see it... you dropped it on purpose!...so he hit you with it..." draw, dropped, with = Category 2 (similar-ish to Verb)

Metrics for Success

Determining success with frequent frames: (Accuracy)

Precision = # of words identified correctly as Category within frame # of words identified as Category within frame

(Completeness)

Recall = # of words identified correctly as Category within frame # of words that should have been identified as Category

Metrics for Success

Determining success with frequent frames:

Precision = # of words identified correctly as Category within frame # of words identified as Category within frame

Recall = # of words identified correctly as Category within frame # of words that should have been identified as Category

Frame: you ____ it draw, dropped, with = Category 2 (similar-ish to Verb)

of words correctly identified as Verb = 2 # of words identified as Verb = 3 Precision = 2/3

Metrics for Success

Determining success with frequent frames:

Precision = # of words identified correctly as Category within frame # of words identified as Category within frame

Recall = # of words identified correctly as Category within frame # of words that should have been identified as Category

Frame: you ____ it draw, dropped, with = Category 2 (similar-ish to Verb)

of words correctly identified as Verb = 2 # of words should be identified as Verb = many (all verbs in corpus) Recall = 2/many = small number

Some Frequent Frame Results

Table 2
Samples of representative categories from several corpora. The number of tokens categorized for each type is in parentheses


Peter Perame you _it put (52), see (28), do (27), did (25), want (23), fix (13), turned (12), get (12), get (11), turn (10), throw (10), closed (10), tinis (9), leave (9), take (8), open (8), find (8), bring (8), took (7), like (6), knocked (6), putting (5), pull (5), found (5), make (4), hare (4), finish (4), rt (3), swallow (3), opened (3), move (3), hold (3), give (3), fixing (3), drive (3), close (3), catch (3), threw (2), taking (2), screw (2), say (2), rtde (2), pushing (2), hid (2), hiding (2), hid (3), each (2), early (2), hid (3), each (3), each (3), each (3), each (4), which (3), hid (4), which (3), each (4), each (4), push (4), leave (1), whigh (1), each (1), showing (1), each (1), push (1)


Some Frequent Frame Results


Frame you. It

frame (h), see (h), see (l), see (l)

ame the _is
one (6), sun (5), truck (3), smoke (2), kitty (2), fish (2), dog (2), baby (2), tray (1), radio (1), powder (1), paper (1),
an (1), lock (1), lipstick (1), lamb (1), kangaroo (1), juice (1), loc (1), flower (1), elbow (1), egg (1), door (1),
nkey (1), doggle (1), crumb (1), cod (1), clip (1), chicken (1), bug (1), brush (1), book (1), blanket (1), Mommy (1)







tandom
.04
.04
.05
.04
.04
.04
.04
1.05 1.04 1.04

The magic number of frequency...

"It would be desirable to analyze the corpora using a frequency threshold for each corpus that is based on a relativized frequency criterion, as the salience of frequent frames to human learners is more likely to be a factor of relative frequency than absolute number."

Experiment 2

"The set of frequent frames was...selected to include all frames whose frequency in proportion to the total number of frames in the corpus surpassed a predetermined threshold of 0.13%...this specific threshold was determined based on the frequent frames for each corpus in Experiment 1....frequent frame selection method for Experiment 2 provided a kind of normalization of the method used in Experiment 1."

Experiment 2 session ranges for analyzed corpora, number of utterances, number of tokens and types categorized, percentage of corpus (tokens) accounted for by categorized types, and percentage of corpus (tokens) analyzed. Child CHILDES sessions # of utterances Tokens are types categorized categorized categorized categorized of corpus (tokens) analyzed. Peter peter01-peter12 19846 5086 437 47% 5% Eve eve01-eve20 14922 3380 398 43% 4% Nina nim01-nim23 14417 4309 387 42% 6% Naomi n01-n58 6950 1319 294 34% 4% Naomi n01-n58 6950 1319 294 34% 4% Anne annol3-aran20b 20857 6172 676 66% 66% 6% Mean 4184.2 450.7 49% 5% Similar coverage to non-relativized frequent frames

Relativized Frequent Frame Precision Experiment 2 token and type accuracy for Standard and Expanded Labeling including baseline accuracy of andom categories Token accuracy (Standard) Analysis Analysis Analysis 0.98 0.98 0.98 0.96 0.98 0.97 0.95 0.92 0.95 0.94 0.94 0.91 0.95 0.89 0.94 0.93 0.90 0.88 0.56 0.52 0.56 0.37 0.45 0.49 0.91 0.94 0.98 0.29 0.50 0.92

Corpus	Token completeness (Standard)		Token con (Expanded		eness Type completeness (Standard)		Type completeness (Expanded)	
	Analysis	Random	Analysis	Random	Analysis	Random	Analysis	Random
Peter	0.06	0.03	0.08	0.03	0.06	0.04	0.07	0.04
Eve	0.07	0.04	0.13	0.04	0.07	0.04	0.09	0.04
Nina	0.08	0.04	0.13	0.04	0.08	0.04	0.10	0.04
Naomi	0.07	0.04	0.11	0.05	0.07	0.04	0.08	0.04
Anne	0.10	0.04	0.13	0.04	0.10	0.04	0.13	0.05
Aran	0.10	0.05	0.17	0.05	0.11	0.05	0.13	0.05
Mean	0.08	0.04	0.13	0.04	0.08	0.04	0.10	0.04

Getting Better Scores


Getting better precision (which was already high) "...one way to circumvent the erroneous classifications...would be to filter out extremely low frequency targets."

Getting better recall (which was pretty low)

"It is a prevalent characteristic of these frame-based categories that there is considerable overlap in the words they contain....two framebased categories could be unified if they surpass a threshold of lexical overlap. This possibility was tested on the results from one of the corpora, Peter, using a criterion of 20% overlap. The outcome was that 17 different verb categories were joined to form one category of 261 word types, 99.3% of which were verbs."

Unification

"Accuracy was not adversely affected by the unification of categories, remaining at 0.90 or above...indicating that the unification procedure did not join together frame-based categories containing words from different grammatical categories. Furthermore, type completeness reached 0.91...indicating that, as expected, the distributional categories that have been fragments of grammatical categories were merced by the unification. grammatical categories were merged by the unification procedure...it appears that a very simple conglomeration procedure based on lexical overlap could be used to join accurate smaller categories together into a more complete category."



Cross-linguistic Application?

Some work done for French, and a pilot study in Cantonese: Chemla, Mintz, Bernal, & Christophe (to appear in Developmental Science)

Very similar results: high accuracy, low completeness

Corollary from Chemla et al.:

Reiterating the importance of the frame over the bigram or trigram

Cross-linguistic Application?

"The fundamental notion is that a relatively local context defined by frequently co-occurring units can reveal a target word's category...[here] the units were words and the frame contexts were defined by words that frequently co-occur. In other languages, a failure to find frequent word frames could trigger an analysis of co-occurrence patterns at a different level of granularity, for example, at the level of sub-lexical morphemes. The frequently co-occurring units in these languages are likely to be the inflectional morphemes which are limited in number and extremely frequent."

Western Greenlandic

Alikusersuillammassuaanerartassagaluarpaalii. aliku-sersu-i-llammas-sua-a-nerar-ta-ssa-galuar-paal-li ntertainment-provide-SEMITRANS-one.good.at-COP-say.that-REP-FUT-sure.but-3.PL.SUBJ/35G.OBJ-but wever, they will say that he is a great entertainer, but ...

Wang & Mintz (2008): Dynamic FFs

"...the frequent frame analysis procedure proposed by Mintz (2003) was not intended as a model of acquisition, but rather as a demonstration of the information contained in frequent frames in child-directed speech...Mintz (2003) did not address the question of whether an actual learner could detect and use frequent frames to categorize words...

"This paper addresses this question with the investigation of a computational model of frequent frame detection that incorporates more psychologically plausible assumptions about the memor[y] resources of learners. In addition, it implements learning as a dynamic process that takes place utterance by utterance as a corpus is processed, rather than 'in a batch' over an entire corpus.'

Considering Children's Limitations

Memory Considerations

- (1) Children possess limited memory and cognitive capacity and cannot track all the occurrences of all the frames in a corpus.
- (2) Memory retention is not perfect: infrequent frames may be forgotten

The Model's Operation

- (1) Only 150 frame types (and their frequencies) are held in
- memory (2) Forgetting function: frames that have not been encountered recently are less likely to stay in memory than frames that have been recently encountered

Dynamic Procedure

- (1) Child encounters an utterance (e.g. "You read the story to mommy.")
 (2) Child segments the utterance into frames:

You		read	the	story	to	mommy.
(1) You	Χ	read				
(2)		read	X	story		
(3)			the	X	to	
(4)				story	Χ	mommy

Dynamic Procedure

(3) If memory is not full, a newly-encountered frame is added to the memory and its initial activation is set to 1. The forgetting function is simulated by the activation for each frame in memory decreasing by 0.0075 at each processing step.

Memo	ry	Activation	
You	X	read	1.0
read	Χ	story	1.0
the	X	to	1.0
story	X	mommy	1.0

Processing Step 1

Dynamic Procedure

(3) If memory is not full, a newly-encountered frame is added to the memory and its initial activation is set to 1. The forgetting function is simulated by the activation for each frame in memory decreasing by 0.0075 at each processing step.

Memo	ory	Activation	
	X	it	1.0
You	X	read	0.9925
read	X	story	0.9925
the	X	to	0.9925
story	X	mommy	0.9925

Processing Step 2: frame I X it

Dynamic Procedure

(4) If the frame already exists in memory, its activation is increased by 1.

Memo	ory	Activation	
	X	it	3.885
You	X	read	0.8945
read	X	story	0.8805
the	X	to	0.8735
story	X	mommy	0.8625

Processing Step 27: frame you X read

Dynamic Procedure

(4) If the frame already exists in memory, its activation is increased by 1.

Memo	ory	Activatio	
	X	it	3.885
You	X	read	1.8945
read	X	story	0.8805
the	X	to	0.8735
story	Χ	mommy	0.8625

Processing Step 27: frame you X read

Dynamic Procedure

(5) Since the memory buffer only stores 150 frames, it becomes full very quickly (after ~50 utterances). When memory is full, a newly-encountered frame replaces the least active frame with activation less than 1.

Memo	ory	Activation	
	X	it	8.75
you	X	read	6.995
read	X	story	5.65
the	X	to	5.45
story	X	mommy	5.35
 you	Х	it	0.9925
with	X	and	0.7965

Processing Step 101: new frame with X by

Dynamic Procedure

(5) Since the memory buffer only stores 150 frames, it becomes full very quickly (after ~50 utterances). When memory is full, a newly-encountered frame replaces the least active frame with activation less than 1.

Memo	ory	Activation	
	X	it	8.75
you	X	read	6.995
read	X	story	5.65
the	X	to	5.45
story	Χ	mommy	5.35
with	Х	by	1.0
VOL	~	14	0.0025

Processing Step 101: new frame with X by

Dynamic Procedure

(6) If all activations are greater than 1, no change is made other than the forgetting function (activation - .0075)

Memo	ory	Activation	
	X	it	8.75
you	X	read	6.995
read	X	story	5.65
the	X	to	5.45
story	X	mommy	5.35
you	Χ	it	1.9925
with	X	and	1.7965


Processing Step 101: new frame with X by


Dynamic Procedure


(6) If all activations are greater than 1, no change is made other than the forgetting function (activation - .0075)


Memo	ory		Activatio
	X	it	8.7425
you	X	read	6.9875
read	X	story	5.6425
the	X	to	5.4425
story	X	mommy	5.3425
			4.0050
you	Х	it	1.9850
with	X	and	1 7890

Processing Step 101: new frame with X by









Wang & Mintz (2008) Conclusions

"...our model demonstrates very effective categorization of words. Even with limited and imperfect memory, the learning algorithm can identify highly informative contexts after processing a relatively small number of utterances, thus yield[ing] a high accuracy of word categorization. It also provides evidence that frames are a robust cue for categorizing words."